EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|-------------|-----|------------------|---------|------------|
| S1 | 83 | (data adj telegram) | USPAT | OR | OFF | 2008/01/11 12:15 |
| S2 | 0 | (data adj telegram) with idenfifier with control with reference | USPAT | OR | OFF | 2008/01/11 12:17 |
| S3 | 0 | (data adj telegram) with idenfifier with control | USPAT | OR | OFF | 2008/01/11 12:18 |
| S4 | 0 | (data adj telegram) with idenfifier | USPAT | OR | OFF | 2008/01/11 12:18 |
| S5 | 0 | (data adj telegram) same idenfifier | USPAT | OR | OFF | 2008/01/11 12:18 |
| S6 | 0 | (data adj telegram) and idenfifier | USPAT | OR | OFF | 2008/01/11 12:18 |
| S7 | 2807496 | (data) with idenfifier reference | USPAT | OR | OFF | 2008/01/11 12:23 |
| S8 | 0 | (data) with idenfifier with reference | USPAT | OR | OFF | 2008/01/11 12:23 |
| S9 | 1 | (data) same idenfifier same reference | USPAT | OR | OFF | 2008/01/11 12:24 |
| S10 | 492 | (data adj telegram) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/11 12:25 |
| S11 | 0 | (data adj telegram) with idenfifier with control with reference | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/11 12:25 |

| S12 | 0 | (data adj telegram) with idenfifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/11 12:25 |
| S13 | 0 | (data adj telegram) same idenfifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/11 12:25 |
| S14 | 0 | (data) with idenfifier with reference | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/11 12:26 |
| S15 | 1 | (data) with idenfifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/11 12:26 |
| S16 | 51 | (("4415792") or ("4451108") or ("4455483") or ("4502082") or ("4796260") or ("4972474") or ("5177796") or ("5274508") or ("5280584") or ("5303393") or ("5319395") or ("5321699") or ("5365516") or ("5377102") or ("5382508") or ("5386422") or ("5388074") or ("5440686") or ("5469444") or ("5477492") or ("5481531") or ("5506965") or ("5507024") or ("5511212") or ("5526357") or ("5537945") or ("5561671") or ("5583975") or ("5657398") or ("5684693") or ("5684774") or ("5724241") or ("5742509") or ("5764691") or ("5784366") or ("5805155") or ("5831903") or ("5841717") or ("5848072") or ("5877742") or ("5894494") or ("5909435") or ("5917429") or ("5999562") or ("6072185") or ("6178121") or ("6181609") or ("6237122") or ("6243348") or ("6249824")).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/01/11 12:26 |
| S17 | 50 | S16 and data | USPAT | OR | OFF | 2008/01/11 12:28 |
| S18 | 18 | S16 and data with ident$4 | USPAT | OR | OFF | 2008/01/11 12:30 |
| S19 | 0 | S16 and data with ident$4 with record with assignment | USPAT | OR | ON | 2008/01/11 12:34 |
| S20 | 8 | data with ident$4 with record with assignment | USPAT | OR | ON | 2008/01/11 12:34 |

| S21 | 1 | ((transmission TX) adj list) with (check adj data adj record) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/12 17:54 |
| S22 | 1 | ((transmission TX) adj list) with (check adj data adj record) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/12 17:55 |
| S23 | 6899 | (370/420,421,428,425,385,422,342,355.3,345.31,355.54).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/01/22 10:46 |
| S24 | 29741 | (packet datagram telegram message) same ethernet | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 10:47 |
| S25 | 492 | S23 and S24 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 10:48 |
| S26 | 6899 | (370/420,421,428,425,385,422,342,355.3,345.31,355.54).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/01/22 16:20 |
| S27 | 29741 | (packet datagram telegram message) same ethernet | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 16:20 |

| S28 | 492 | S26 and S27 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 16:21 |
|-----|-----|-------------|--------------------------------------------------------|-----|-----|-----------------|
| S29 | 386 | S28 and identif$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 16:24 |
| S30 | 228 | S29 and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 16:25 |
| S31 | 209 | S30 and field | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 16:25 |
| S32 | 18588 | (packet datagram telegram message) with ethernet | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 16:26 |
| S33 | 354 | S26 and S32 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 16:26 |
| S34 | 273 | S33 and identif$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 16:26 |

| S35 | 252 | S34 and field | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 16:26 |
| S36 | 154 | S35 and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 16:27 |
| S37 | 17 | S36 and traffic with management | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 16:39 |
| S38 | 3 | "2002064157" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 16:41 |
| S39 | 1 | "2002527972" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 16:41 |
| S40 | 0 | WO/2002/043336 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 16:47 |
| S41 | 3 | "2002043336" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 16:47 |

| S42 | 2 | "20040264378" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 17:14 |
|-----|---|---------------|----------|----|-----|----------|
| S43 | 1 | "4581734".PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/01/23 08:35 |
| S44 | 2 | (("4581734" or "6167471")).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/01/23 08:41 |
| S45 | 12 | ((DIETER) near2 (BRUECKNER)).INV. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/23 08:52 |
| S46 | 21 | ((DIETER) near2 (KLOTZ)).INV. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/23 08:52 |
| S47 | 26 | ((KARL-HEINZ) near2 (KRAUSE)).INV. | US-PGPUB; USPAT; USOCR | OR | ON | 2008/01/23 08:52 |
| S48 | 2 | (("5654969" or "5327428")).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/01/23 09:01 |
| S49 | 4 | S44 or S48 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 09:06 |
| S50 | 2 | S49 and (packet message data datagram frame cell) with(identifier id identification$1) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 09:17 |

| S51 | 1 | S49 and (packet message data datagram frame cell) with(identifier id identification$1) with control | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 09:19 |
| S52 | 69221 | (packet message data datagram frame cell) with(identifier id identification$1) with control | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 09:26 |
| S53 | 8938 | S52 and (real-time non-realtime) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 09:26 |
| S54 | 22 | S52 and (real-time and non-realtime) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 09:26 |
| S55 | 0 | S52 and (real-time and non-realtime) same prioriti$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 09:28 |
| S56 | 1 | S52 and (real-time and non-realtime) same type | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 09:29 |
| S57 | 3755 | (packet message data datagram frame cell) with(identifier id identification$1) with ((real-time (real adj time)) and non-(real-time (real adj time))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 09:55 |

| S58 | 6899 | (370/420,421,428,425,385,422,342,355.3,345.31,355.54).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/01/23 10:07 |
|---|---|---|---|---|---|---|
| S59 | 10 | S57 and S58 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 10:07 |
| S60 | 5 | scheduler with (identifier identification Id) with real-time | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 10:14 |
| S61 | 14 | scheduler with (identifier identification Id) same real-time | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 10:18 |
| S62 | 9 | S61 not S60 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 10:19 |
| S63 | 29741 | (packet datagram telegram message) same ethernet | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 10:51 |
| S64 | 492 | S58 and S63 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 10:51 |

| S65 | 390 | S58 and S63 and (identif$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 10:55 |
| S66 | 130 | S58 and S63 and (identif$4) with control | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 10:55 |
| S67 | 2 | "20040198325" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 12:33 |
| S68 | 37604 | ((packet cell frame datagram data message) with header) same (table map$4 buffer classif$6) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 12:51 |
| S69 | 1935 | ((packet cell frame datagram data message) with header) same (table map$4 buffer classif$6) with index | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 12:51 |
| S70 | 6029 | ((packet cell frame datagram data message) with header) same (table map$4 buffer classif$6) with (index pointer specifier identifier) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 12:51 |
| S71 | 127 | S58 and S70 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 12:52 |

| S72 | 85 | S71 and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 12:52 |
| S73 | 0 | S58 and S70 and (jump adj address) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 13:23 |
| S74 | 5 | ((packet cell frame datagram data message) with header) same (table map$4 buffer classif$6) with (jump adj address) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 13:24 |
| S75 | 1458 | ((packet cell frame datagram data message) with header) same (table map$4 buffer classif$6) with (index pointer specifier identifier) with address | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 14:02 |
| S76 | 5 | ((packet cell frame datagram data message) with header) same (table map$4 buffer classif$6) with (index pointer specifier identifier) with address with (real-time (real adj time)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 14:04 |
| S77 | 5 | S76 not S74 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 14:05 |
| S81 | 10795 | ((packet cell frame datagram data message) with header) same (table map$4 buffer classif$6) with (point$3 index$3 indicat$3 list$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 14:14 |

| S82 | 5702 | S81 and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 14:18 |
| S83 | 1898 | S82 and (real-time (real adj time)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 14:18 |
| S84 | 76 | S82 and (real-time (real adj time)) same ethernet | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 14:19 |
| S85 | 12391 | ((packet cell frame datagram data message) with header) same (table map$4 buffer classif$6) with (address location identifier pointer) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 17:27 |
| S86 | 6963 | ((packet cell frame datagram data message) with header) with(table map$4 buffer classif$6) with (address location identifier pointer) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 17:28 |
| S87 | 531 | ((packet cell frame datagram data message) with header) with(table map$4 buffer classif$6) with (address location identifier pointer) with (transmission transmit$4) with (receiv$4 reception) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 17:35 |
| S88 | 240 | S87 and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 17:38 |

| S89 | 1 | S88 and real-time and non-real-time | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 17:39 |
|---|---|---|---|---|---|---|
| S90 | 21 | ((packet cell frame datagram data message) with header) with(table map$4 buffer classif$6) with (address location identifier pointer) with (transmission transmit$4) with (receiv$4 reception) with (lookup (look$3 adj up) look-up) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 17:41 |
| S91 | 14 | ((packet cell frame datagram data message) with header) with(table map$4 buffer classif$6) with (address location identifier pointer) with (transmission transmit$4) with (receiv$4 reception) with ((lookup (look$3 adj up) look-up) near2 table) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 17:42 |
| S92 | 7 | S90 not S91 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/23 17:50 |
| S93 | 13 | (transmit$3 transmission) with (receiv$3 reception) with (table near2(look$3 adj up)) with (pointer identifier identify ID separator selector devider index) with address | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 08:33 |
| S94 | 42001 | ((table near2(look$3 adj up)) search$3 locat$3 assign$4 assignment) with (pointer identifier identify ID separator selector devider index) with address | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 08:51 |
| S96 | 2031 | ((table near2(look$3 adj up)) search$3 locat$3 assign$4 assignment) with (pointer identifier identify ID separator selector devider index) with address same (transmit$3 transmission) with(receiv$3 reception) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 08:52 |

| S99 | 6 | ((table near2(look$3 adj up) search$3 locat$3 assign$4 assignment) with (pointer identifier identify ID separator selector devider index) with address with (transmit$3 transmission) with(receiv$3 reception) with ((real-time (real adj time))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 08:55 |
|-----|---|---|---|---|---|---|
| S100 | 0 | ((table near2(look$3 adj up) search$3 locat$3 assign$4 assignment) with (pointer identifier identify ID separator selector devider index) with address with (transmit$3 transmission) with(receiv$3 reception) same ((real-time (real adj time)) and (non-realtime non-real-time)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 08:58 |
| S101 | 9 | ((table near2(look$3 adj up) search$3 locat$3 assign$4 assignment) with (pointer identifier identify ID separator selector devider index) with address with (transmit$3 transmission) with(receiv$3 reception) same ethernet | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 08:58 |
| S102 | 2035 | ((table near2(look$3 adj up) search$3 locat$3 assign$4 assignment) with (pointer identifier identify ID separator selector devider index$3) with address same(transmit$3 transmission) with(receiv$3 reception) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 09:04 |
| S103 | 9 | ((table near2(look$3 adj up) search$3 locat$3 assign$4 assignment) with (pointer identifier identify ID separator selector devider index$3) with address with (transmit$3 transmission) with(receiv$3 reception) same ethernet | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 09:05 |
| S104 | 70983 | ((table near2(look$3 adj up) search$3 locat$3 assign$4 assignment) with (pointer identifier identify ID separator selector devider index) and (real-time (real adj time)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 09:19 |
| S105 | 1833 | ((table near2(look$3 adj up) search$3 locat$3 assign$4 assignment) with (pointer identifier identify ID separator selector devider index) with (transmit$3 transmission) with (receiv$3 reception)and (real-time (real adj time)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 09:20 |

| S106 | 232 | ((table near2(look$3 adj up)) search$3 locat$3 assign$4 assignment) with (pointer identifier identify ID separator selector devider index) with (transmit$3 transmission) with (receiv$3 reception) with address and (real-time (real adj time)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 09:21 |
| S107 | 96 | S106 and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 09:22 |
| S108 | 272 | ((table near2(look$3 adj up)) map$4 search$3 locat$3 assign$4 assignment) with (pointer identifier identify ID separator selector devider index) with (transmit$3 transmission) with (receiv$3 reception) with address and (real-time (real adj time)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 09:29 |
| S109 | 126 | S108 and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 09:30 |
| S110 | 30 | S109 not S107 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 09:30 |
| S112 | 6900 | (370/420,421,428,425,385,422,342,355.3,345.31,355.54).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/01/24 09:56 |
| S116 | 24001 | ((packet cell frame datagram) with header) same (table map$4 buffer classif$6) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 10:10 |

| S117 | 553 | S112 and S116 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 10:10 |
|------|-----|---------------|------|----|----|-------------|
| S118 | 331 | S117 and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 10:11 |
| S119 | 2 | "20040198325" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 14:59 |
| S120 | 4 | (US-20020064128-$ or US-20020012340-$).did. or (US-6768717-$ or US-6850513-$).did. | US-PGPUB; USPAT | OR | ON | 2008/01/24 15:00 |
| S121 | 1 | S120 and period | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 15:47 |
| S122 | 24001 | ((packet cell frame datagram) with header) same (table map$4 buffer classif$6) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 15:53 |
| S123 | 6900 | (370/420,421,428,425,385,422,342,355.3,345.31,355.54).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/01/24 15:54 |
| S124 | 553 | S123 and S122 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 15:54 |

| S125 | 331 | S124 and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 15:54 |
| S126 | 578 | ((packet cell frame datagram) with header) same (table map$4 buffer classif$6) with (cycle period) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 16:21 |
| S127 | 18 | S126 and S123 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 16:22 |
| S128 | 13 | S127 and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 16:22 |
| S129 | 0 | ((packet cell frame datagram) with header) same (table map$4 buffer classif$6) with (cycle period) with nth | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 16:55 |
| S130 | 25 | ((packet cell frame datagram) with header) same (table map$4 buffer classif$6) with (cycle period) with counter | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 16:56 |
| S131 | 18 | S130 and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 16:56 |

| S132 | 2 | ((packet cell frame datagram) with header) same (table map$4 buffer classif$6) with (cycle period) with counter same mask | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/24 17:48 |
|------|---|------|------|----|----|------|
| S133 | 25 | ((packet cell frame datagram) with header) same (table map$4 buffer classif$6) with (cycle period) with counter | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/25 14:07 |
| S134 | 6 | ((packet cell frame datagram) with header) same (table map$4 buffer classif$6) with (cycle period) with counter with address | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/25 14:08 |
| S135 | 0 | ((packet cell frame datagram) with header) same (table map$4 buffer classif$6) with (cycle period) with counter with address with (jump skip jerk move bypass pass) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/25 14:18 |
| S136 | 1 | ((packet cell frame datagram) with header) same (table map$4 buffer classif$6) with (cycle period) with counter with address same (jump skip jerk move bypass pass) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/25 14:19 |
| S137 | 17 | (cycle period) with (counter log timer calculate) with (jump adj (address location place)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/27 12:47 |
| S138 | 4 | (cycle period) with (counter log timer calculate) with (jump adj (address location place)) same (table buffer map$4 classif$6) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/27 12:56 |

| S139 | 1 | (US-4326247-$).did. | USPAT | OR | ON | 2008/01/27 14:05 |
|------|---|---------------------|-------|-----|-----|-------------------|
| S140 | 1 | S139 and bit with cycle | USPAT | OR | ON | 2008/01/27 14:06 |
| S141 | 1 | S139 and bit same cycle | USPAT | OR | ON | 2008/01/27 14:17 |
| S142 | 3 | (cycle period) with (counter log timer calculate) with (jump adj (address location place)) same (table buffer map$4 classif$6) and bit same cycle | USPAT | OR | ON | 2008/01/27 14:22 |
| S143 | 3 | (cycle period) with (counter log timer calculate) with (jump adj (address location place)) same (table buffer map$4 classif$6) and bit same (cycle near4 counter) | USPAT | OR | ON | 2008/01/27 15:10 |
| S144 | 3 | (cycle period) with (counter log timer calculate) with (jump adj (address location place)) same (table buffer map$4 classif$6) and bit same (cycle near2 counter) | USPAT | OR | ON | 2008/01/27 15:10 |
| S145 | 1 | S139 and cycle near2 counter | USPAT | OR | ON | 2008/01/27 15:22 |
| S146 | 1 | S139 and cycle adj counter | USPAT | OR | ON | 2008/01/27 15:32 |
| S147 | 1 | ("6850513").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/08/12 15:11 |
| S148 | 2 | "20040198325" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/12 15:14 |
| S149 | 1 | ("6850513").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/08/13 10:03 |
| S150 | 1 | S149 and uniquely | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 10:04 |

| S151 | 2388 | (table record) with (cycle period) with transmission | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 17:12 |
|------|------|---------------------------------------------------|----------------------------------------------------------|----|----|------------------|
| S152 | 989 | S151 and @ad< "20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 17:14 |
| S153 | 1487 | (table) with (cycle period) with transmission | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 17:14 |
| S154 | 685 | S153 and @ad< "20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 17:15 |
| S155 | 0 | S154 and (jump adj address) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 17:16 |
| S156 | 32 | S154 and (jump ) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 17:17 |
| S157 | 2 | S154 and (jump with address) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 17:18 |

| S158 | 14 | "check data record" | USPAT | OR | OFF | 2008/08/13 22:57 |
|------|----|---------------------|-------|-----|-----|-------------------|
| S159 | 37 | "check data record" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/13 22:57 |
| S160 | 13 | "check data records" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/13 22:57 |
| S161 | 67 | "check data record" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 22:58 |
| S162 | 24 | S161 and @ad< "20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 22:58 |
| S163 | 1 | "check data record" with identifier | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 23:00 |
| S164 | 9 | "check data record" with ident$5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 23:02 |

| S165 | 22 | S162 not S164 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 23:06 |
| S166 | 6696 | (transmi$6) with (table list record) with (cycle period) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 23:27 |
| S167 | 0 | (transmi$6) with (table list record) with (cycle period) with (jump adj address) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 23:30 |
| S168 | 16 | (transmi$6) with (table list record) with (cycle period) and (jump adj address) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 23:32 |
| S169 | 12 | S168 and @ad< "20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 23:32 |
| S170 | 1 | ((transmi$6) near (table list record)) with (cycle period) and (jump adj address) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 23:41 |
| S171 | 588 | ((table list record)) with (cycle period) and (jump adj address) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 23:49 |

| S172 | 1 | (((table list record)) with (cycle period) with (jump adj address) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 23:49 |
|------|-----|------|------|----|-----|------|
| S173 | 303 | (((table list record)) with (cycle period) with jump | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 23:50 |
| S174 | 161 | S173 and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/13 23:50 |
| S175 | 101 | (transmission adj (list table record)) with (period cycle time) and @ad<"20011017" | USPAT | OR | OFF | 2008/08/14 08:53 |
| S176 | 6 | (transmission adj (list table record)) with (period cycle time)and (jump index) and @ad<"20011017" | USPAT | OR | OFF | 2008/08/14 08:56 |
| S177 | 101 | (transmission adj (list table record)) with (period cycle time) and @ad<"20011017" | USPAT | OR | OFF | 2008/08/14 09:02 |
| S178 | 95 | S175 not S176 | USPAT | OR | OFF | 2008/08/14 09:02 |
| S179 | 17 | (transmission adj (list table record)) with (period cycle time) with (buffer memory cache queue) and @ad<"20011017" | USPAT | OR | OFF | 2008/08/14 09:02 |
| S180 | 26 | (transmission adj (list table record)) with (period cycle) and @ad<"20011017" | USPAT | OR | OFF | 2008/08/14 09:03 |
| S181 | 24 | S180 not S176 | USPAT | OR | OFF | 2008/08/14 09:03 |
| S182 | 0 | (((list table record)) with (period cycle) with (jump adj address) and @ad<"20011017" | USPAT | OR | OFF | 2008/08/14 09:29 |
| S183 | 107 | (((list table record)) with (period cycle) with (jump) and @ad<"20011017" | USPAT | OR | OFF | 2008/08/14 09:29 |
| S184 | 3 | (((list table record)) with (period cycle) with (jump) and "370".clas. and @ad<"20011017" | USPAT | OR | OFF | 2008/08/14 09:30 |
| S185 | 55 | (((list table)) with (period cycle) and (jump) and "370".clas. and @ad<"20011017" | USPAT | OR | OFF | 2008/08/14 09:41 |

| S186 | 52 | S185 not S184 | | USPAT | OR | OFF | 2008/08/14 09:41 |
|------|----|--------------|--|-------|----|----|------------------|
| S187 | 1 | ("6850513").PN. | | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/08/14 10:19 |
| S188 | 1 | S187 and (cycle period time) | | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 10:19 |
| S189 | 44730 | (packet cell datagram telegram frame) with (cycle period) with (buffer queue memory storage cache) | | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 10:22 |
| S190 | 3026 | (packet cell datagram telegram frame) with (cycle period) with (buffer queue memory storage cache) and "370".clas. and @ad<"20011017" | | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 10:22 |
| S191 | 3 | (packet cell datagram telegram frame) with (cycle period) with (buffer queue memory storage cache) with jump and "370".clas. and @ad<"20011017" | | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 10:22 |
| S192 | 463 | (packet cell datagram telegram frame) with (cycle period) with (buffer queue memory storage cache) with address and "370".clas. and @ad<"20011017" | | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 10:24 |
| S193 | 36 | (packet cell datagram telegram frame) with (cycle period) with (buffer queue memory storage cache) with index and "370".clas. and @ad<"20011017" | | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 10:25 |

| S194 | 114 | (packet cell datagram telegram frame) with (cycle period) with (buffer queue memory storage cache) with (index pointer) and "370".clas. and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 10:25 |
|---|---|---|---|---|---|---|
| S195 | 14 | (packet cell datagram telegram frame) with (transmission forward$3 submi$5) with (cycle period) with (buffer queue memory storage cache) with (index pointer) and "370".clas. and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 10:27 |
| S196 | 62009 | (datagram telegram packet cell frame) with (identifier classification type) with control | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 11:53 |
| S197 | 560 | (table record list) with (datagram telegram packet cell frame) with (select$4 determin$4 assign$4) with (index pointer) with (memory buffer cache queue storage) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 11:53 |
| S198 | 26 | S196 and S197 and "370".clas. and @ad<"20011017" | USPAT | OR | OFF | 2008/08/14 11:54 |
| S203 | 15 | S198 and (cycle period) | USPAT | OR | OFF | 2008/08/14 11:59 |
| S204 | 0 | "20040198325" | USPAT | OR | OFF | 2008/08/14 14:18 |
| S205 | 2 | "20040198325" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/14 14:19 |
| S206 | 1 | S205 and (data adj record) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 14:19 |

| S207 | 2 | S205 and (transmission adj list) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 14:47 |
| S208 | 1 | S187 and separat$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 15:17 |
| S209 | 2 | "20040198325" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 18:49 |
| S210 | 1 | S209 and least | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/14 18:49 |
| S211 | 1 | "20010005374" | USPAT | OR | OFF | 2008/08/14 22:44 |
| S212 | 1 | "20010005374" | USPAT | OR | OFF | 2008/08/14 22:45 |
| S213 | 3 | "20010005374" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/14 22:45 |
| S214 | 2 | "20040198325" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/14 22:48 |

| S215 | 1 | S214 and cycle | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/14 22:49 |
| S216 | 2 | "20040198325" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/14 23:24 |
| S217 | 2 | S216 and (time period cycle) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/14 23:26 |
| S218 | 1 | ("6850513").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/08/14 23:26 |
| S219 | 1 | S218 and (time period cycle) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/14 23:26 |
| S220 | 0 | S218 and (period cycle duration schedule) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/14 23:34 |
| S221 | 1 | S218 and tim$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/14 23:34 |

| S222 | 256 | transmission with (table list record) with (within with (time timeframe period cycle)) and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/14 23:42 |
| S223 | 73 | transmission with (table list record) with (within with (time timeframe period cycle)) and "370".clas. and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/14 23:42 |
| S224 | 19 | transmission with (table list record) with (within with (time timeframe period cycle))and counter and "370".clas. and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/14 23:44 |
| S225 | 1 | transmission with (table list record) with (within adj (time timeframe period cycle))and counter and "370".clas. and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/14 23:45 |
| S226 | 387 | transmission with (table list record) with ((time timeframe period cycle))and counter and "370".clas. and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/14 23:49 |
| S227 | 64 | (transmission near2 (table list record)) with ((time timeframe period cycle))and counter and "370".clas. and @ad<"20011017" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/08/14 23:49 |
| S228 | 1 | ("4326247").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB | OR | OFF | 2008/08/15 00:21 |

| S229 | 1 | S228 and cycle and bit and mask | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 00:22 |
| S230 | 1 | (US-20020126688-$).did. | US-PGPUB | OR | ON | 2008/08/15 00:49 |
| S231 | 0 | S230 and control with (data packet datagram cell frame) with bit | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 00:50 |
| S232 | 0 | S230 and control with bit | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 00:51 |
| S233 | 1 | S230 and control | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 00:51 |
| S234 | 0 | S214 and msk$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 00:55 |
| S235 | 1 | S214 and mask$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/08/15 00:55 |

8/15/2008 9:28:53 AM

C:\ Documents and Settings\ nmahmoudzadeh\ My Documents\ EAST\ Workspaces\ 10825669_20040198325.wsp